





SUPER STEEL TRADING LLC.

Super Steel Trading LLC is a steel trading company set up in the Jebel Ali Free Zone, Dubai – UAE. The main objective of the company is to trade steel profitably by providing value addition to customers as well as suppliers. We look beyond today to see tomorrow by linking producers and consumers of steel through efficient and reliable communication and supply lines

We Seek to attract and nurture the best people to deliver better solutions to our customers. Ever since our inception, we have remained true to our vision and commitment to honesty, fairness and integrity and has witnessed a dramatic growth, thanks to the patronage of our satisfied customers all over U.A.E.

Super Steel Trading LLC intends to trade in all types of steel. Import of finished & semi finished steel goods from various origins. With its alliance with various steel mills around the world, HSL supplies the UAE and GCC market with range of Steel Flat Products Export of finished & semi finished steel goods from UAE to Middle East & other countries. Local purchase & sale of steel commodities. Our clientele includes Heavy Fabricators , Major Steel Stockists, and Trading companies.



Hot Rolled Coils




Product Type:	Mild Steel
Product Thickness (MM):	2.00 MM ~ 20.00 MM
Product Width (MM):	1219 / 1500 / 1800 / 2000 MM
Product Grade :	ST 37.2 / ST 44.2 / ST 52.3 or Equivalent Grades.

Product Type:	Mild Steel
Product Thickness (MM):	2.00 MM ~ 20.00 MM & Above,
Product Width (MM):	4M x 8M, 1.5M x 6M, 2M x 6M, 2M x 12M, 2.5M x 12M
Product Grade :	ST 37.2 / ST 44.2 / ST 52.3 or Equivalent Grades.

Hot Rolled Sheets/Plates





Cold Rolled Coils




Product Type:	Mild Steel
Product Thickness (MM):	0.50 MM ~ 1.50 MM
Product Width (MM):	1000 / 1219 MM
Product Grade :	ST 12

Product Type:	Mild Steel
Product Thickness (MM):	0.50 MM ~ 1.50MM
Product Width (MM):	1219 MM X 2438 MM
Product Grade :	ST 12

Cold Rolled Sheets




Galvanized Coils



Product Type:	Mild Steel
Product Thickness (MM):	0.45 MM ~ 3.00 MM
Product Width (MM):	1000 / 1220 MM
Product Grade :	90 - 275 gms / m ²

Galvanized Sheets

Product Type:	Mild Steel
Product Thickness (MM):	0.45 MM ~ 3.00 MM
Product Width (MM):	1219 MM X 2438 MM
Product Grade :	90 - 275 gms / m ²



PPGI Coils





Product Type:	Mild Steel
Product Thickness (MM):	0.50 MM ~ 3.00 MM
Product Width (MM):	1000 / 1220 MM
Product Grade :	3 ~ 200 Microns

Product Type:	Mild Steel
Product Thickness (MM):	4.00 MM ~ 14.00 MM
Product Grade :	AISI-1008

Wire Rods




Aluminium Sheets



Product Type:	Mild Steel
Product Thickness (MM):	0.45 MM ~ 10.00 MM
Product Width (MM):	1219 / 2438 MM
Product Grade :	Plain & Chequered, Alloy AA1100 H-14

Product Type:	Mild Steel
Product Thickness (MM):	0.45 MM ~ 3.00 MM
Product Width (MM):	1219 MM X 2438 MM
Product Grade :	90 - 275 gms / m2

Chequered Plates



Deformed Bar



Diameter	From 8 mm to 20 mm					
Commercial Length	6 & 12 meters					
Specification	British Standard				BS 449:1997 Grade 460B	
	American Standard				ASTM A 615 Grade 60	
Standard Grade	Chemical Composition % Max				Mechanical Properties	
	%C	%Mn	%S	%P	YsN/mm2	T.S. N/mm2 Min.
BS 4449:1997 Gr.460B	0.25	-	0.05	0.05	460	500
ASTM A 615 Grade 60	-	-	0.06	-	420	620

YS - Yield Strength : TS- Tensile Strength

Permissible Deviation From Nominal Mass

Standard	Size (mm)	Deviation(%)
BS 4449:1997 Gr.460B	8 to 10	± 6.5
	> 10	± 4.5
ASTM A 615 Grade 60	Up to 10	± 8.0
	> 10	± 6.0

Round Bar



Size (mm)	Kg/M	Manufacturing Standard
12	0.88	As per EN 10025 S 235 JR
14	1.2	As per EN 10025 S 235 JR
16	1.58	As per EN 10025 S 235 JR
20	2.47	As per EN 10025 S 235 JR
25	3.85	As per EN 10025 S 235 JR

We can also produce sizes as per customer requirement bet 8 mm - 20 mm

Mill Standard Bar Count 6 meter Length (Per 1 ton Bundle)

Nominal Dia	Pieces/Bundle
12	190
14	140
16	104
20	68
25	44

Square Bar



Size (mm)	Kg/M	Manufacturing Standard
10	0.785	As per EN 10025 S 235 JR
12	1.13	As per EN 10025 S 235 JR
14	1.539	As per EN 10025 S 235 JR

We can also produce sizes as per customer requirement between 8 mm - 20 mm


Mill Standard Bar Count 6 meter Length (Per 1 ton Bundle)

Nominal Dia	Pieces/Bundle
10	214
12	148
14	109

Permissible Deviation From Nominal Mass

Standard	Size (mm)	Deviation(%)
EN 10025 - S 235 JR	8 to 10	± 7.5
	> 10	± 6.5

Flat Bar



Size (mm)	Kg/M	Manufacturing Standard
20 x 2.5	0.40	As per EN 10025 S 235 JR
20 x 3	0.47	As per EN 10025 S 235 JR
25 x 2.5	0.50	As per EN 10025 S 235 JR
25 x 3	0.59	As per EN 10025 S 235 JR
30 x 3	0.70	As per EN 10025 S 235 JR
30 x 4	0.94	As per EN 10025 S 235 JR
40 x 4	1.25	As per EN 10025 S 235 JR
40 x 5	1.57	As per EN 10025 S 235 JR

***We can also produce sizes as per customer requirement**

Mill Standard Bar Count 6 meter Length (Per 1 ton Bundle)

Nominal Dia	Pieces/Bundle
20 x 2.5	418
20 x 3	355
25 x 2.5	334
25 x 3	282
30 x 3	238
30 x 4	178
40 x 4	134
40 x 5	106

Permissible Deviation From Nominal Mass

Standard	Size (mm)	Deviation(%)
EN 10025 - S 235	20x2.5 - 30x4	± 7.5
JR	40x4 & up	± 6.5

Packing Characteristics

Weight	1 Ton or 2 Ton as per customer requirement
Length	6 M or 12 M or Any length as per customer
Straps Per Bundle	As per customer requirement



SUPER STEEL TRADING LLC.



P: +971 6 748 7990

E: info@supersteeltrading.com

W: www.supersteeltrading.com

A: Sheikh Amm Bin Humaid St -
Al Jerf Industrial 1 - Ajman , UAE

follow us on:



Facebook



Instagram



twitter



Linkedin



Whatsapp



YouTube